

**CARACTERÍSTICAS
DE LA LÍNEA ALIMENTACIÓN**
FEED RANGE CHARACTERISTICS
**CARACTÉRISTIQUES
DE LA LIGNE NOURRIR**

■ CONTINUADA. CONTINUED. CONTINUE.
 ■ LIMITADA. LIMITÉE. LIMITÉE.
 ■ BAJO FABRICACIÓN (45-50 DÍAS DE MEDIA).
 AS MANUFACTURE (AVERAGE 45-50 DAYS).
 EN COURS DE FABRICATION (45-50 JOURS EN MOYENNE).
 ■ SIN DETERMINAR

CÓDIGO	MODELO	MATERIAL DEL CORTE			PUNTERA		PLANTILLA		SUELA			PREVISIÓN STOCK	PÁGINA CATÁLOGO
		PIEL FLOR	MICROFIBRA	CORDURA	SIN PUNTERA	PUNTERA VINCAP®	SIN PLANTILLA	PLANTILLA TEXTIL	SUELA F10	SUELA GRIP	SUELA EXTREME		
240410	VENUS VINCAP	●				●	●					68	68
240411	VENUS TOP con plantilla	●				●	●					68	68
243610	LUNA VINCAP	●				●	●					68	68
243611	LUNA TOP con plantilla	●				●	●					68	68
242610	OMEGA BLANCO VINCAP	●				●	●					68	68
242611	OMEGA BLANCO TOP con plantilla	●				●	●					68	68
245910	APOLO VINCAP	●				●	●					69	69
245911	APOLO TOP con plantilla	●				●	●					69	69
246610	HAGOS BLANCO VINVAP		●	●		●	●					69	69
246611	HAGOS BLANCO TOP		●	●		●	●					69	69
248141	81		●			●	●	●				70	70
248241	82		●			●	●	●				70	70
243343	FRÍO BLANCO	●				●	●			●		71	71
243341	FRÍO NEGRO	●				●	●			●		71	71
140110	SELENE BLANCO	●										72	72
140010	CLINIC PERF. BLANCO	●										72	72



LÍNEA ALIMENTACIÓN

FOOD LINE

LIGNE ALIMENTATION





VENUS VINCAP

REF: 240410
TALLAS/SIZES/POINTURES: 36-47
EN-ISO 20345: 2011
S2+SRC+CI



Opción
Option
Option



S3+SRC+CI
REF: 240411



LUNA VINCAP

REF: 243610
TALLAS/SIZES/POINTURES: 36-47
EN-ISO 20345: 2011
S2+SRC+CI



Opción
Option
Option



S3+SRC+CI
REF: 243611



OMEGA BLANCO VINCAP

REF: 242610
TALLAS/SIZES/POINTURES: 36-47
EN-ISO 20345: 2011
S2+SRC+CI



Opción
Option
Option



S3+SRC+CI
REF: 242611



APOLO VINCAP

REF: 245910
 TALLAS/SIZES/POINTURES: 36-47
 EN-ISO 20345: 2011
 S1+SRC+CI



Opción
 Option
 Option



S1+P+SRC+CI
 REF: 245911



Microfibra
 Microfiber
 Microfibre



HAGOS BLANCO

REF: 246610
 TALLAS/SIZES/POINTURES: 36-47
 EN-ISO 20345: 2011
 S2+SRC+CI



Opción
 Option
 Option

S3+SRC+CI
 REF: 246611

81

REF: 248141
 TALLAS/SIZES/POINTURES: 36-47
 EN-ISO 20345: 2007
 S3+SRC+CI



Microfibr
 Microfiber
 Microfibre



82

REF: 248241
 TALLAS/SIZES/POINTURES: 36-47
 EN-ISO 20345: 2007
 S3+SRC+CI



Microfibr
 Microfiber
 Microfibre



-40°

FRIO TOP BLANCO

REF: 243343
TALLAS/SIZES/POINTURES: 35-48
EN-ISO 20345: 2007
S3+SRC+CI



Thinsulate

Thinsulate



FRIO TOP NEGRO

-40°

REF: 243341
TALLAS/SIZES/POINTURES: 35-48
EN-ISO 20345: 2007
S3+SRC+CI



SELENE BLANCO

REF: 140110
TALLAS/SIZES/POINTURES: 36-47
EN-ISO 20347: 2012
02+SRC+CI+FO



CLINIC PERFORADO BLANCO

REF: 140010
TALLAS/SIZES/POINTURES: 36-47
EN-ISO 20347:2012
01+SRC+CI+FO



