

CARACTERÍSTICAS DE LA LÍNEA INDUSTRIAL CONFORT

INDUSTRIAL COMFORT RANGE CHARACTERISTICS

CARACTÉRISTIQUES DE LA LIGNE INDUSTRIELLE CONFORT

■ CONTINUADA. CONTINUED. CONTINUE.
■ LIMITADA. LIMITED. LIMITÉE.
■ BAJO FABRICACIÓN (45-50 DÍAS DE MEDIA).
 AS MANUFACTURE (AVERAGE 45-50 DAYS).
 EN COURS DE FABRICATION (45-50 JOURS EN MOYENNE).

CÓDIGO	MODELO	MATERIAL DEL CORTE		PUNTERA	PLANTILLA	SUELA EXTREME	PREVISIÓN STOCK	PÁGINA CATÁLOGO
		PIEL FLOR	SERRAJE					
115160	CLINIC NEGRO	●		●	SIN PLANTILLA	●	■	56
112060	120	●		●	SIN PLANTILLA	●	■	56
114060	140	●		●	SIN PLANTILLA	●	■	56
112362	123 PERFORADO		●	●	SIN PLANTILLA	●	■	57
195403	954	●		●	SIN PLANTILLA		■	57
107501	75	●		●	SIN PLANTILLA		■	57



LÍNEA INDUSTRIAL CONFORT

INDUSTRIAL COMFORT RANGE
LIGNE INDUSTRIELLE CONFORT



LÍNEA INDUSTRIAL CONFORT

INDUSTRIAL COMFORT RANGE / LIGNE INDUSTRIELLE CONFORT



CLINIC NEGRO

REF: 115160

TALLAS/SIZES/POINTURES: 35-48

EN-ISO 20347:2007

02+SRC+CI



120

REF: 112060

TALLAS/SIZES/POINTURES: 35-48

EN-ISO 20347:2007

02+SRC+CI



140

REF: 114060

TALLAS/SIZES/POINTURES: 35-48

EN-ISO 20347:2007

02+SRC+CI



LÍNEA INDUSTRIAL CONFORT

INDUSTRIAL COMFORT RANGE / LIGNE INDUSTRIELLE CONFORT



123 PERFORADO

REF: 112362

TALLAS/SIZES/POINTURES: 35-48

EN-ISO 20347:2007

01+SRC+CI



954

REF: 195403

TALLAS/SIZES/POINTURES: 35-46

75

REF: 107501

TALLAS/SIZES/POINTURES: 35-46

